

NOTICE OF ELECTION

TO THE QUALIFIED VOTERS OF FORT BEND COUNTY EMERGENCY SERVICES DISTRICT NO. 6, THE QUALIFIED VOTERS OF THE ANNEXATION AREA AND ALL OTHER INTERESTED PERSONS:

Notice is hereby given that Fort Bend County Emergency Services District No. 6 (the "District") will hold an Annexation Election: 1) within and for the District, and 2) within and for the area to be annexed (the "Annexation Area"), on November 4, 2025, between the hours of 7:00 a.m. and 7:00 p.m., at all Fort Bend County countywide polling places described on the attached **Exhibit "A"**, which may be updated subsequent to the adoption of this Notice as additional polling places are identified by Fort Bend County. The purpose of the Election is for the duly qualified resident electors to vote regarding the annexation of the Annexation Area into the District, as described below and as depicted on **Exhibit "B"** attached hereto.

1,490.25 Acres:

An approximate 1,490.25-acre (64,915,000 square foot) tract of land situated in the B.B.B. & C. Railroad Co. Survey No. 5, Abstract 129, the B.B.B. & C. Railroad Co. Survey No. 3, Abstract 128, the J. J. Dickerson Survey, Abstract 401, and the Michael Young League, Abstract 99, Fort Bend County, Texas, and being all of the remainder of a called 1,054.13-acre tract conveyed to A. P. George, recorded in Volume 25, Page 79, Deed Records of Fort Bend County (hereinafter D.R.F.B.C.), the same also conveyed as an undivided 1/2 interest from A. P. George & wife, Mamie George to T. W. Davis, called "Third Tract", as recorded in Volume 64, Page 109, D.R.F.B.C., and being a portion of a called 2,228-acre tract conveyed to the George Foundation by T. W. Davis Probate Cause No. 1847, recorded in Volume T, Page 456, dated May 31, 1922, by Albert P. George Probate Cause No. 3958, recorded in Volume 28, Page 558, and by Mamie E. George Probate Cause No. 5300, recorded in Volume 76, Page 600, all of the Probate Records of Fort Bend County, and described under "Second Tract, Part A" in deed from A. P. George & wife, Mamie George to T. W. Davis, recorded in Volume 64, Page 109, D.R.F.B.C., said herein tract being more particularly described by metes and bounds as follows (all bearings and coordinates herein are referenced to the Texas Coordinate System, South Central Zone, NAO 83 (2011) epoch 2010.00, coordinates and distances are in units of U.S. Survey feet with coordinates shown as Grid values and distances as Ground Surface values, to convert from Grid values to Ground values multiply by the Combined Scale Factor of 1.00013):

BEGINNING at a 5/8-inch iron rod with cap stamped "1943 4349 5829" (Northing =13,741 ,326.12, Easting = 2,999,882.74) found for the southwest corner of the "Lamar CISD Dr Thomas E Randle High School and Harry Wright Junior High School Campus", according to the subdivision plat thereof as recorded under Instrument Number 20190296, Official Public Records of Fort Bend County (hereinafter O.P.R.F.B.C.), being a point on the west line of said 1,054.13 acre tract and the eastern right-of-way line of Farm-to-Market Road No. 2977 (a.k.a. Mennonite Road, hereinafter referred to as FM 2977), a 100-foot-wide right-of-way per TxDOT Right-of-Way Map CSJ No. 3048-01-01 dated January 28, 1969, and as described in that deed for additional right-of-way (called as 1.175 acres) situated along the eastern side of FM 2977 as recorded in Volume 522, Page 51, Deed Records of Fort Bend County (hereinafter D.R.F.B.C.);

THENCE departing said right-of-way line and west line of said 1,054.13 acre tract, South 86 degrees 39 minutes 58 seconds East, along the south line of said subdivision plat, being the

south lines of Restricted Reserves "A", "B", and "C" therein, at a distance of 25.00 feet passing a 5/8-inch iron rod found for the southwest corner of said Restricted Reserve "A", at a distance of 742.40 feet passing a 5/8-inch iron rod with cap stamped "1943 4349 5829" found for the southeast corner of said Restricted Reserve "A" and southwest corner of said Restricted Reserve "B", at a distance of 2,553.77 feet passing a 5/8-inch iron rod with cap stamped "1943 4349 5829" found for the southeast corner of said Restricted Reserve "B" and southwest corner of said Restricted Reserve "C", and continuing a total distance of 2,608.11 feet to a 5/8-inch iron rod with cap stamped "1943 4349 5829" found for the southeast corner of said plat and southeast corner of said Restricted Reserve "C";

THENCE North 02 degrees 58 minutes 00 seconds East, along the east line of said plat, being the east line of said Restricted Reserve "C" and the easternmost line of Koeblen Road (a variable width right-of-way), at a distance of 1,541.24 feet passing a 5/8-inch iron rod with cap stamped "1943 4349 5829" found for the northeast corner of said Restricted Reserve "C" and easternmost southeast corner of said right-of-way for Koeblen Road, and continuing a total distance of 1,664.48 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set for the northeast corner of said plat and easternmost northeast corner of said right-of-way;

THENCE Northwesterly, along the northern line of said plat and the northern line of said right-of-way for Koeblen Road the following seven (7) courses and distances:

1. North 51 degrees 15 minutes 58 seconds West, at a distance of 66.97 feet passing a 5/8-inch iron rod with cap stamped "1943 4349 5829" found for the northwest corner of a 130' drainage easement tract shown on said plat, and continuing a total distance of 766.60 feet to a 5/8-inch iron rod with cap stamped "1943 4349 5829" found for the point of curvature of a 2,050.00-foot radius curve, concave to the southwest from which its radius point bears South 38 degrees 44 minutes 02 seconds West;
2. Northwesterly, along said curve, an arc distance of 1,061 .57 feet (through a delta angle of 29 degrees 40 minutes 12 seconds subtended by a chord 1,049.75 feet in length bearing North 66 degrees 06 minutes 04 seconds West) to a 5/8-inch iron rod with cap stamped "1943 4349 5829" found for a point of compound curvature transitioning to a 4,051.39-foot radius curve, concave to the southwest, from which the radius points of both curves bear South 09 degrees 03 minutes 50 seconds West;
3. Northwesterly, along said curve, an arc distance of 405.17 feet (through a delta angle of 05 degrees 43 minutes 48 seconds subtended by a chord 405.00 feet in length bearing North 83 degrees 48 minutes 04 seconds West) to a 5/8-inch iron rod found for a point of tangency, bearing North 03 degrees 20 minutes 02 seconds East from its radius point;
4. North 86 degrees 39 minutes 58 seconds West, a distance of 200.18 feet a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set for an angle point in said northern line;
5. North 79 degrees 49 minutes 24 seconds West, a distance of 100. 72 feet to a 5/8-inch iron rod with cap stamped "1943 4349 5829" found for the beginning of a non-tangent 978.00-foot radius curve, concave to the northeast, from which the radius point bears North 03 degrees 20 minutes 02 seconds East;
6. Northwesterly, along said curve, an arc distance of 237.36 feet (through a delta angle of 13 degrees 54 minutes 21 seconds subtended by a chord 236.78 feet in length bearing North 79 degrees 42 minutes 48 seconds West) to a 5/8-inch iron rod with cap

stamped "1943 4349 5829" found for a point of non-tangency, bearing South 17 degrees 14 minutes 22 seconds West from said radius point;

7. North 35 degrees 04 minutes 00 seconds West, a distance of 80.50 feet to a 5/8-inch iron rod with cap stamped "1943 4349 5829" found for the northwest corner of said plat, being a point on the aforesaid eastern right-of-way line of FM 2977 (100 foot right-of- way) and west line of said 1,054.13 acre tract;

THENCE Northerly, along said eastern right-of-way line and the west line of said 1,054.13 acre tract the following six (6) courses and distances:

1. North 03 degrees 20 minutes 02 seconds East, a distance of 15. 70 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set for the point of curvature of a 5,779.65-foot radius curve, concave to the west from which its radius point bears North 86 degrees 39 minutes 58 seconds West;
2. Northerly, along said curve an arc distance of 151.31 feet (through a delta angle of 01 degree 30 minutes 00 seconds subtended by a chord 151.31 feet in length bearing North 02 degrees 35 minutes 02 seconds East) to a 1/2-inch iron rod found for a point of tangency, bearing South 88 degrees 09 minutes 58 seconds East from said radius point;
3. North 01 degrees 50 minutes 02 seconds East, a distance of 40.99 feet to a 1/2-inch iron rod found for the point of curvature of a 5,679.65-foot radius curve, concave to the east from which its radius point bears South 88 degrees 09 minutes 58 seconds East;
4. Northerly, along said curve an arc distance of 148.69 feet (through a delta angle of 01 degree 30 minutes 00 seconds subtended by a chord 148.69 feet in length bearing North 02 degrees 35 minutes 02 seconds East) to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set (a found broken concrete right-of-way monument bears North 17 degrees West, a distance of 0.8 feet) for a point of tangency, bearing North 86 degrees 39 minutes 58 seconds West from said radius point;
5. North 03 degrees 20 minutes 02 seconds East, a distance of 2,988.12 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;

THENCE departing said right-of-way line, Northeasterly, Easterly, and Southeasterly, over and across said 1,054.13 acre tract, along a line generally 20 feet south of the southern line of a 50-foot wide easement granted to M2E3 LLC by instrument recorded in Clerk's File No. 2019110394, 0 .P.R.F.B.C., the following four (4) courses and distances:

1. North 74 degrees 48 minutes 38 seconds East, a distance of 2,275.73 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;
2. North 89 degrees 40 minutes 04 seconds East, a distance of 129.80 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;
3. South 85 degrees 48 minutes 04 seconds East, a distance of 528.58 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;
4. South 67 degrees 56 minutes 43 second East, a distance of 38.26 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;

THENCE North 42 degrees 07 minutes 13 seconds East, continuing over and across said 1,054.13 acre tract, a distance of 116.60 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set on the southern right-of-way line of Ricefield Road (current width varies, original width assumed to be 60-foot wide) as established per monumentation found along the northerly line of said right-of-way;

THENCE South 47 degrees 52 minutes 47 seconds East, along said southern right-of-way line, a distance of 4,694.48 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set for the point of curvature of a 1,940.00-foot radius curve, concave to the northeast from which its radius point bears North 42 degrees 07 minutes 13 seconds East, said point of curvature also being at the approximate point where said right-of-way line currently turns to follow a jog in Ricefield Road in a northeast direction;

THENCE departing said existing right-of-way line, Southeasterly, following the proposed future southern right-of-way line of Ricefield Road over and across said 1,054.13 acre tract and crossing into the aforesaid 2,228-acre tract, along said curve an arc distance of 904.38 feet (through a delta angle of 26 degrees 42 minutes 36 seconds subtended by a chord 896.22 feet in length bearing South 61 degrees 14 minutes 05 seconds East) to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set for a point of tangency, bearing South 15 degrees 24 minutes 37 seconds West from said radius point;

THENCE South 74 degrees 35 minutes 23 seconds East, continuing along the proposed realigned southern right-of-way line of Ricefield Road over and across said 2,228-acre tract, a distance of 161.78 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set for the point of curvature of a 2,060.00-foot radius curve, concave to the southwest from which its radius point bears South 15 degrees 24 minutes 37 seconds West;

THENCE Southeasterly, continuing along the proposed realigned southern right-of-way line of Ricefield Road over and across said 2,228-acre tract and along said curve an arc distance of 959.72 feet (through a delta angle of 26 degrees 41 minutes 35 seconds subtended by a chord 951.06 feet in length bearing South 61 degrees 14 minutes 35 seconds East) to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set for a point of tangency, bearing North 42 degrees 06 minutes 12 seconds East from said radius point, said point being on the apparent southern right-of-way line of Ricefield Road (assumed 60-foot wide) as established 30 feet southwest of (as measured perpendicular) the centerline of the existing pavement;

THENCE South 47 degrees 53 minutes 48 seconds East, along said apparent southern right-of-way line, a distance of 2,363.91 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;

THENCE departing said right-of-way line, Southwesterly, over and across said 2,228-acre tract, along a line generally parallel with and 35 feet north of (as measured perpendicular) the approximate centerline of a 16-inch Gulf Coast Energy gas pipeline the following four (4) courses and distances:

1. South 55 degrees 55 minutes 08 seconds West, a distance of 926.35 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;
2. South 59 degrees 35 minutes 22 seconds West, a distance of 2615.53 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;

3. South 50 degrees 51 minutes 38 seconds West, a distance of 1,506.33 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;
4. South 56 degrees 06 minutes 05 seconds West, a distance of 4,906.87 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;

THENCE Southwesterly, continuing over and across said 2,228-acre tract, the following five (5) courses and distances:

1. North 33 degrees 54 minutes 37 seconds West, a distance of 21.40 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;
2. South 68 degrees 19 minutes 02 seconds West, a distance of 742.36 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;
3. South 55 degrees 28 minutes 46 seconds West, a distance of 135.84 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;
4. South 89 degrees 46 minutes 39 seconds West, a distance of 293.20 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;
5. South 57 degrees 30 minutes 10 seconds West, a distance of 440.90 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set in the northeastern line of a called 9.392 acre easement granted to Houston Lighting & Power Company by instrument recorded in Volume 676, page 636, D.R.F.B.C.

THENCE North 32 degrees 33 minutes 21 seconds West, along said easement line, at a distance of 16.22 feet passing a 5/8-inch iron rod with cap stamped "GEOSOLUTIONS" found at the easternmost corner of a called 15.22-acre tract conveyed from The George Foundation to Centerpoint Energy Houston Electric, LLC by Instrument recorded in Clerk's File Number 2019047673, O.P.R.F.B.C., continuing along said easement line coincident with the northeast line of said 15.22-acre tract, at a distance of 567.77 feet passing a 5/8-inch iron rod with cap stamped "GEOSOLUTIONS" found at the northernmost corner of said 15.22-acre tract, continuing along said easement line over and across said 2,228-acre tract a total distance of 1,041 .62 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set for an angle point in said easement line;

THENCE North 47 degrees 56 minutes 01 seconds West, along said easement line over and across said 2,228-acre tract and reentering the aforesaid 1,054.13-acre tract, a distance of 216.04 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set;

THENCE departing said easement line, North 82 degrees 14 minutes 04 seconds West, over and across said 1,054.13-acre tract, a distance of 98. 72 feet to a 5/8-inch iron rod with yellow plastic cap stamped "LJA SURVEY" set on the aforesaid eastern right-of-way line of FM 2977 (100 foot right-of-way) and west line of said 1,054.13 acre tract, from which a 3/4-inch iron rod found for a point of curvature of said right-of-way bears South 03 degrees 20 minutes 02 seconds West, along said eastern right-of-way line, a distance of 63.33 feet;

THENCE North 03 degrees 20 minutes 02 seconds East, along said eastern right-of-way line and west line of said 1,054.13 acre tract, a distance of 4,171 .69 feet to the POINT OF BEGINNING and containing approximately 1,490.25 acres (64,915,000 square feet) of land.

All duly qualified resident voters will vote for or against the following propositions:

For the registered voters of the District:

PROPOSITION A Adding the property described on the Notice of Election to Fort Bend County Emergency Services District No. 6

PROPOSITION B The property described on the Notice of Election assuming its proportionate share of the outstanding debts and taxes of Fort Bend County Emergency Services District No. 6, if it is added to the District

For the registered voters of the Annexation Area:

PROPOSITION A Adding the property described on the Notice of Election to Fort Bend County Emergency Services District No. 6

PROPOSITION B THIS IS A TAX INCREASE
The property described on the Notice of Election assuming its proportionate share of the outstanding debts and taxes of Fort Bend County Emergency Services District No. 6, if it is added to the District

The officers of such Election have been appointed by the Fort Bend County Commissioner's Court.

Early Voting by personal appearance shall be conducted during the times and at the locations listed on the attached **Exhibit "C"**.

The Early Voting Clerk shall receive applications for early voting ballots by mail through 5:00 p.m. on Friday, October 24, 2025, which is 11 days prior to the Election. The Early Voting Clerk shall receive voted early voting ballots through 7:00 p.m. Tuesday, November 4, 2025, if the ballot is not postmarked, or through 5:00 p.m. on Wednesday, November 5, 2025, if the ballot is postmarked. Applications for voting by mail may be obtained from and mailed to the Early Voting Clerk at:

If by regular mail: Fort Bend County Elections
301 Jackson Street
Richmond, Texas 77469

If by common or contract carrier Fort Bend County Elections
3730 Bamore Road
Rosenberg, Texas 77471

If by email: absenteevoter@fortbendcountytexas.gov *

If by facsimile:

281-341-4418*

*original application for ballot by mail must also be submitted by mail to the Elections Department not later than four (4) business days after submitting by fax or email submission.

Only qualified resident voters of the District and the Annexation Area shall be entitled to vote in said Election.

The Election shall be held and conducted and returns made to the Board of Commissioners of the District in accordance with the Texas Election Code, as modified by Chapter 775, Texas Health and Safety Code, as amended.

/s/ Breanna John
President, Board of Commissioners

ATTEST:

/s/ Marsha Goates
Secretary, Board of Commissioners

AVISO DE ELECCIÓN

A LOS VOTANTES HABILITADOS DEL DISTRITO DE SERVICIOS DE EMERGENCIA NRO. 6 DEL CONDADO DE FORT BEND, LOS VOTANTES HABILITADOS DEL ÁREA DE ANEXIÓN Y A TODAS LAS DEMÁS PERSONAS INTERESADAS:

Por el presente, se informa que el Distrito de Servicios de Emergencia Nro. 6 del Condado de Fort Bend (el "Distrito") celebrará una Elección de Anexión: 1) dentro y para el Distrito, y 2) dentro y para el área a anexar (el "Área de anexión"), el 4 de noviembre de 2025, en el horario de 7:00 a.m. a 7:00 p.m. en todos los lugares de votación en todo el Condado de Fort Bend descritos en el **Anexo "A"** adjunto, que se puede actualizar después de la adopción de este Aviso, a medida que el Condado de Fort Bend identifique lugares de votación adicionales. El propósito de la Elección es que los votantes residentes debidamente calificados voten sobre la anexión del Área de Anexión al Distrito, como se describe a continuación y como se muestra en el **Anexo "B"** adjunto.

Una parcela del terreno de unos 1,490.25 acres (64,915,000 pies cuadrados) ubicada en el resumen legal y técnico 129 del estudio topográfico nro. 5 de B.B.B. & C. Railroad Co., el resumen legal y técnico 128 del estudio topográfico nro. 3 de B.B.B. & C. Railroad Co., el resumen legal y técnico 401 del estudio topográfico de J. J. Dickerson y el resumen legal y técnico 99 de Michael Young League, en el Condado de Fort Bend, Texas, y que conforma la totalidad del resto de una parcela denominada de 1,054.13 acres transferida a A. P. George, que consta en la página 79 del tomo 25 de los registros de escrituras del Condado de Fort Bend (en lo sucesivo, los D.R.F.B.C.), también transferida como una participación indivisa del 50 % de A. P. George y esposa, Mamie George, a T. W. Davis, denominada "Tercera parcela", según consta en la página 109 del tomo 64 de los D.R.F.B.C., y que conforma una porción de una parcela denominada de 2,228 acres transferida a la George Foundation mediante la causa nro. 1847 de los trámites testamentarios de T. W. Davis, que consta en la página 456 del tomo T, con fecha del 31 de mayo de 1922, mediante la causa nro. 3958 de los trámites testamentarios de Albert P. George, que consta en la página 558 del tomo 28, y mediante la causa nro. 5300 de los trámites testamentarios de Mamie E. George, que consta en la página 600 del tomo 76, todos registros del tribunal testamentario del Condado de Fort Bend, y descrita en la sección "Segunda parcela, Parte A" en una escritura de A. P. George y esposa, Mamie George, a T. W. Davis, que consta en la página 109 del tomo 64 de los D.R.F.B.C., parcela mencionada en este documento que se describe más detalladamente por límites y colindancias como se expone a continuación (todos los rumbos y las coordenadas del presente documento pueden consultarse en el NAD 83 (2011) con fecha de referencia 2010.00 de la zona sur central en el Sistema de Coordenadas de Texas; las coordenadas y las distancias están en unidades de pies topográficos estadounidenses con las coordenadas que aparecen como valores de cuadrícula y las distancias que aparecen como valores de superficie terrestre; para convertir los valores de cuadrícula a valores terrestres se debe multiplicar por el factor de escala combinado de 1.00013):

TOMANDO COMO PUNTO DE PARTIDA una varilla de hierro de 5/8" con un marcador grabado con "1943 4349 5829" (Coordenada Norte = 13,741 ,326.12, Coordenada Este = 2,999,882.74) hallada para indicar en la esquina sudoeste del campus escolar "Lamar CISD Dr Thomas E Randle High School y Harry Wright Junior High School Campus", según su plano de subdivisión conforme consta en el documento notarial nro. 20190296 de los Registros Públicos Oficiales del Condado de Fort Bend (en lo sucesivo, los O.P.R.F.B.C.), que es un punto en la línea oeste de la mencionada parcela de 1,054.13 acres y la línea de derecho de paso este de la carretera Farm-to-Market Road Nro. 2977 (también conocida como Mennonite Road, que en lo

sucesivo se mencionará como FM 2977), un derecho de paso de 100 pies de ancho según el proyecto de control nro. 3048-01-01 del Mapa de Derechos de Paso del TxDOT con fecha del 28 de enero de 1969, y conforme se describe en esa escritura para incluir un derecho de paso adicional (denominado como 1.175 acres) situado a lo largo del lado este de la FM 2977 según consta en la página 51 del tomo 522 de los registros de escrituras del Condado de Fort Bend (en lo sucesivo, los D.R.F.B.C);

A PARTIR DE ALLÍ partiendo de la mencionada línea de derecho de paso y la línea oeste de la mencionada parcela de 1,054.13 acres, Sur 86 grados 39 minutos 58 segundos Este, a lo largo de la línea sur del mencionado plano de subdivisión, que son las líneas sur de las reservas restringidas “A”, “B” y “C” del plano, a una distancia de 25.00 pies pasando una varilla de hierro de 5/8” hallada para indicar la esquina sudoeste de la mencionada Reserva Restringida “A”, a una distancia de 742.40 pies pasando una varilla de hierro de 5/8” con un marcador grabado con "1943 4349 5829" hallada para indicar la esquina sudeste de la mencionada Reserva Restringida “A” y la esquina sudoeste de la mencionada Reserva Restringida “B”, a una distancia de 2,553.77 pies pasando una varilla de hierro de 5/8” con un marcador grabado con "1943 4349 5829" hallada para indicar la esquina sudeste de la mencionada Reserva Restringida “B” y la esquina sudoeste de la mencionada Reserva Restringida “C”, y siguiendo por una distancia total de 2,608.11 pies hasta una varilla de hierro de 5/8” con un marcador grabado con "1943 4349 5829" hallada para indicar la esquina sudeste del mencionado plano de subdivisión y la esquina sudeste de la mencionada Reserva Restringida “C”;

A PARTIR DE ALLÍ Norte 02 grados 58 minutos 00 segundos Este, a lo largo de la línea este del mencionado plano, que es la línea este de la mencionada Reserva Restringida “C” y la línea más oriental de Koeblen Road (un derecho de paso con ancho variable}, a una distancia de 1,541.24 pies pasando una varilla de hierro de 5/8” con un marcador grabado con "1943 4349 5829" hallada para indicar la esquina noreste de la mencionada Reserva Restringida “B” y la esquina sudeste más oriental del mencionado derecho de paso para Koeblen Road, y siguiendo por una distancia total de 1,664.48 pies hasta una varilla de hierro de 5/8” con un marcador plástico y amarillo, grabado con "LJA SURVEY”, varilla colocada para indicar la esquina noreste del mencionado plano y la esquina noreste más oriental del mencionado derecho de paso;

A PARTIR DE ALLÍ, en dirección noroeste, a lo largo de la línea norte del mencionado plano y la línea norte del mencionado derecho de paso para Koeblen Road, los siguientes siete (7) rumbos y distancias:

1. Norte 51 grados 15 minutos 58 segundos Oeste, a una distancia de 66.97 pies pasando una varilla de hierro de 5/8” con un marcador grabado con "1943 4349 5829" hallada para indicar la esquina noroeste de una parcela de servidumbre de desagüe de 130' que se muestra en el mencionado plano, y siguiendo por una distancia total de 766.60 pies hasta una varilla de hierro de 5/8” con un marcador grabado con "1943 4349 5829" hallada para indicar el punto de curvatura de un radio de curva de 2,050.00 pies, cóncava hacia el sudoeste desde donde su punto de radio indica la orientación Sur 38 grados 44 minutos 02 segundos Oeste;
2. En dirección noroeste, a lo largo de la mencionada curva, una distancia de arco de 1,061 .57 pies (a través de un ángulo delta de 29 grados 40 minutos 12 segundos subtendido por una cuerda de 1,049.75 pies de longitud con orientación Norte 66 grados 06 minutos 04 segundos Oeste) hasta una varilla de hierro de 5/8” con un marcador grabado con "1943 4349 5829" hallada para indicar un punto de curvatura

compuesta que pasa a tener un radio de curva de 4,051.39 pies, cóncava hacia el sudoeste desde donde los puntos de radio de ambas curvas indican la orientación Sur 09 grados 03 minutos 50 segundos Oeste;

3. En dirección noroeste, a lo largo de la mencionada curva, una distancia de arco de 405.17 pies (a través de un ángulo delta de 05 grados 43 minutos 48 segundos subtendido por una cuerda de 405.00 pies de longitud con orientación Norte 83 grados 48 minutos 04 segundos Oeste) hasta una varilla de hierro de 5/8" hallada para indicar un punto de tangencia, con orientación Norte 03 grados 20 minutos 02 segundos Este desde su punto de radio;
4. Norte 86 grados 39 minutos 58 segundos Oeste, una distancia de 200.18 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY", varilla colocada para indicar un vértice de poligonal en la mencionada línea norte;
5. Norte 79 grados 49 minutos 24 segundos Oeste, una distancia de 100.72 pies hasta una varilla de hierro de 5/8" con un marcador grabado con "1943 4349 5829" hallada para indicar el comienzo de un radio de curva de 978.00 pies no tangente, cóncava hacia el noreste, desde donde el punto de radio indica la orientación Norte 03 grados 20 minutos 02 segundos Este;
6. En dirección noroeste, a lo largo de la mencionada curva, una distancia de arco de 237.36 pies (a través de un ángulo delta de 13 grados 54 minutos 21 segundos subtendido por una cuerda de 236.78 pies de longitud con orientación Norte 79 grados 42 minutos 48 segundos Oeste) hasta una varilla de hierro de 5/8" hallada para indicar un punto de no tangencia, con orientación Sur 17 grados 14 minutos 22 segundos Oeste desde el mencionado punto de radio;
7. Norte 35 grados 04 minutos 00 segundos Oeste, una distancia de 80.50 pies hasta una varilla de hierro de 5/8" con marcador grabado con "1943 4349 5829" hallada para indicar la esquina noroeste del mencionado plano de subdivisión, que es un punto de la mencionada línea de derecho de paso este de la FM 2977 (derecho de paso de 100 pies) y la línea oeste de la mencionada parcela de 1,054.13 acres;

A PARTIR DE ALLÍ, en dirección norte, a lo largo de la mencionada línea de derecho de paso este y la línea oeste de la mencionada parcela de 1,054.13 acres, los siguientes seis (6) rumbos y distancias:

1. Norte 03 grados 20 minutos 02 segundos Este, una distancia de 15.70 pies hasta una varilla de hierro de 5/8" con un marcador plástico y amarillo, grabado con "LJA SURVEY", varilla colocada para indicar el punto de curvatura de un radio de curva de 5,779.65 pies, cóncava hacia el oeste desde donde su punto de radio indica la orientación Norte 86 grados 39 minutos 58 segundos Oeste;
2. En dirección norte, a lo largo de la mencionada curva, una distancia de arco de 151.31 pies (a través de un ángulo delta de 01 grado 30 minutos 00 segundos subtendido por una cuerda de 151.31 pies de longitud con orientación Norte 02 grados 35 minutos 02 segundos Este) hasta una varilla de hierro de 1/2" hallada para indicar un punto de tangencia, con orientación Sur 88 grados 09 minutos 58 segundos Este desde el

mencionado punto de radio;

3. Norte 01 grado 50 minutos 02 segundos Este, una distancia de 40.99 pies hasta una varilla de hierro de 1/2" hallada para indicar el punto de curvatura de un radio de curva de 5,679.65 pies, cóncava hacia el este desde donde su punto de radio indica la orientación Sur 88 grados 09 minutos 58 segundos Este;
4. En dirección norte, a lo largo de la mencionada curva, una distancia de arco de 148.69 pies (a través de un ángulo delta de 01 grado 30 minutos 00 segundos subtendido por una cuerda de 148.69 pies de longitud con orientación Norte 02 grados 35 minutos 02 segundos Este) hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY", varilla colocada (un mojón de derecho de paso de hormigón quebrado hallado indica la orientación Norte 17 grados Oeste, una distancia de 0.8 pies) para indicar un punto de tangencia, con orientación Norte 86 grados 39 minutos 58 segundos Oeste desde el mencionado punto de radio;
5. Norte 03 grados 20 minutos 02 segundos Este, una distancia de 2,988.12 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;

A PARTIR DE ALLÍ, partiendo desde la mencionada línea de derecho de paso, en dirección noreste, este y sudeste, por encima y transversal a la mencionada parcela de 1,054.13 acres, a lo largo de una línea en general a 20 pies al sur de la línea sur de una servidumbre de 50 pies de ancho cedida a M2E3 LLC mediante el documento notarial registrado con el nro. de expediente 2019110394 de los 0 .P.R.F.B.C., los siguientes cuatro (4) rumbos y distancias:

1. Norte 74 grados 48 minutos 38 segundos Este, una distancia de 2,275.73 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;
2. Norte 89 grados 40 minutos 04 segundos Este, una distancia de 129.80 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;
3. Sur 85 grados 48 minutos 04 segundos Este, una distancia de 528.58 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;
4. Sur 67 grados 56 minutos 43 segundos Este, una distancia de 38.26 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;

A PARTIR DE ALLÍ Norte 42 grados 07 minutos 13 segundos Este, siguiendo por encima y transversal a la mencionada parcela de 1,054.13 acres, una distancia de 116.60 pies hasta una varilla de hierro de 5/8" con marcador plástico y amarillo, grabado con "LJA SURVEY", varilla colocada en la línea de derecho de paso sur de Ricefield Road (el ancho actual varía, con un ancho original supuesto de 60 pies) conforme lo establecido en los mojones instalados a lo largo de la línea norte del mencionado derecho de paso;

A PARTIR DE ALLÍ Sur 47 grados 52 minutos 47 segundos Este, a lo largo de la mencionada línea de derecho de paso sur, una distancia de 4,694.48 pies hasta una varilla de hierro de 5/8" con un marcador plástico y amarillo, grabado con "LJA SURVEY", varilla

colocada para indicar el punto de curvatura de un radio de curva de 1,940.00 pies, cóncava hacia el noreste desde donde su punto de radio indica la orientación Norte 42 grados 07 minutos 13 segundos Oeste, con el mencionado punto de curvatura que también se encuentra en el punto aproximado donde la mencionada línea de derecho de paso actualmente dobla para seguir una pequeña desviación en Ricefield Road en una dirección noreste;

A PARTIR DE ALLÍ, partiendo desde la actual línea de derecho de paso mencionada, en dirección sudeste, siguiendo la línea de derecho de paso futura propuesta de Ricefield Road por encima y transversal a la mencionada parcela de 1,054.13 acres y cruzando hacia la mencionada parcela de 2,228 acres, a lo largo de la mencionada curva una distancia de arco de 904.38 pies (a través de un ángulo delta de 26 grados 42 minutos 36 segundos subtendido por una cuerda de 896.22 pies de largo con orientación Sur 61 grados 14 minutos 05 segundos Este) hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY", varilla colocada para indicar un punto de tangencia, con orientación Sur 15 grados 24 minutos 37 segundos Oeste desde el mencionado punto de radio;

A PARTIR DE ALLÍ Sur 74 grados 35 minutos 23 segundos Este, siguiendo a lo largo de la línea de derecho de paso sur propuesta y realineada de Ricefield Road por encima y transversal a la mencionada parcela de 2,228 acres, una distancia de 161.78 pies hasta una varilla de hierro de 5/8" con un marcador plástico y amarillo, grabado con "LJA SURVEY", varilla colocada para indicar el punto de curvatura de un radio de curva de 2,060.00 pies, cóncava hacia el sudoeste desde donde su punto de radio indica la orientación Sur 15 grados 24 minutos 37 segundos Oeste;

A PARTIR DE ALLÍ, en dirección sudeste, siguiendo a lo largo de la línea de derecho de paso propuesta y realineada de Ricefield Road por encima y transversal a la mencionada parcela de 2,228 acres y a lo largo de la mencionada curva una distancia de arco de 959.72 pies (a través de un ángulo delta de 26 grados 41 minutos 35 segundos subtendido por una cuerda de 951.06 pies de largo con orientación Sur 61 grados 14 minutos 35 segundos Este) hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY", varilla colocada para indicar un punto de tangencia, con orientación Norte 42 grados 06 minutos 12 segundos Este desde el mencionado punto de radio, punto mencionado que se encuentra sobre la línea de derecho de paso sur aparente de Ricefield Road (con 60 pies de ancho supuestos) conforme se estableció a 30 pies al sudoeste (en medición perpendicular) de la línea central del pavimento existente;

A PARTIR DE ALLÍ Sur 47 grados 53 minutos 48 segundos Este, a lo largo de la mencionada línea de derecho de paso sur aparente, una distancia de 2,363.91 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;

A PARTIR DE ALLÍ, partiendo desde la mencionada línea de derecho de paso, en dirección sudoeste, por encima y transversal a la mencionada parcela de 2,228 acres, a lo largo de una línea en general paralela y a 35 pies al norte (con medición perpendicular) de la línea central aproximada de una tubería de gas de 16" de Gulf Coast Energy, los siguientes cuatro (4) rumbos y distancias:

1. Sur 55 grados 55 minutos 08 segundos Oeste, una distancia de 926.35 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;

2. Sur 59 grados 35 minutos 22 segundos Oeste, una distancia de 2615.53 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;
3. Sur 50 grados 51 minutos 38 segundos Oeste, una distancia de 1,506.33 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;
4. Sur 56 grados 06 minutos 05 segundos Oeste, una distancia de 4,906.87 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;

A PARTIR DE ALLÍ, en dirección sudoeste, siguiendo por encima y transversal a la mencionada parcela de 2,228 acres, los siguientes cinco (5) rumbos y distancias:

1. Norte 33 grados 54 minutos 37 segundos Oeste, una distancia de 21.40 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;
2. Sur 68 grados 19 minutos 02 segundos Oeste, una distancia de 742.36 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;
3. Sur 55 grados 28 minutos 46 segundos Oeste, una distancia de 135.84 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;
4. Sur 89 grados 46 minutos 39 segundos Oeste, una distancia de 293.20 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY" colocada;
5. Sur 57 grados 30 minutos 10 segundos Oeste, una distancia de 440.90 pies hasta una varilla de hierro de 5/8" con marcador topográfico plástico y amarillo, grabado con "LJA SURVEY", varilla colocada en la línea noreste de una servidumbre denominada de 9.392 acres cedida a Houston Lighting & Power Company mediante un documento notarial registrado en la página 636 del tomo 676 de los D.R.F.B.C

A PARTIR DE ALLÍ Norte 32 grados 33 minutos 21 segundos Oeste, a lo largo de la mencionada línea de servidumbre, a una distancia de 16.22 pies pasando una varilla de hierro de 5/8" con un marcador grabado con "GEOSOLUTIONS" hallada en la esquina más oriental de una parcela denominada de 15.22 acres transferida por The George Foundation a Centerpoint Energy Houston Electric, LLC mediante un documento notarial registrado con el número de expediente 2019047673 de los O.P.R.F.B.C., siguiendo a lo largo de la mencionada línea de servidumbre que coincide con la línea noreste de la mencionada parcela de 15.22 acres, a una distancia de 567.77 pies pasando una varilla de hierro de 5/8" con un marcador grabado con "GEOSOLUTIONS" hallada en la esquina más norteña de la mencionada parcela de 15.22 acres, siguiendo a lo largo de la mencionada línea de servidumbre por encima y transversal a la mencionada parcela de 2,228 acres una distancia total de 1,041.62 pies hasta una varilla de hierro de 5/8" con un marcador plástico y amarillo, grabado con "LJA SURVEY", varilla colocada para indicar un vértice de poligonal en la mencionada línea de servidumbre;

A PARTIR DE ALLÍ Norte 47 grados 56 minutos 01 segundo Oeste, a lo largo de la mencionada línea de servidumbre por encima y transversal a la mencionada parcela de 2,228 acres y reingresando a la mencionada parcela de 1,054.13 acres, una distancia de 216.04 pies hasta una varilla de hierro de 5/8" con marcador plástico y amarillo, grabado con "LJA SURVEY" colocada;

A PARTIR DE ALLÍ partiendo desde la mencionada línea de servidumbre, Norte 82 grados 14 minutos 04 segundos Oeste, por encima y transversal a la mencionada parcela de 1,054.13 acres, una distancia de 98.72 pies hasta una varilla de hierro de 5/8" con marcador plástico y amarillo, grabado con "LJA SURVEY", varilla colocada en la mencionada línea de derecho de paso este de la FM 2977 (derecho de paso de 100 pies) y la línea oeste de la mencionada parcela de 1,054.13 acres, desde donde una varilla de hierro de 3/4" hallada para indicar un punto de curvatura del mencionado derecho de paso indica la orientación Sur 03 grados 20 minutos 02 segundos Oeste, a lo largo de la mencionada línea de derecho de paso este, una distancia de 63.33 pies;

A PARTIR DE ALLÍ Norte 03 grados 20 minutos 02 segundos Este, a lo largo de la mencionada línea de derecho de paso este y la línea oeste de la mencionada parcela de 1,054.13 acres, una distancia de 4,171.69 pies hasta el PUNTO DE PARTIDA y lo que incluye aproximadamente 1,490.25 acres (64,915,000 pies cuadrados) de terrenos.

Todos los votantes debidamente habilitados residentes votarán a favor o en contra de las siguientes proposiciones:

Para los votantes registrados del Distrito:

PROPOSICIÓN A Añadir la propiedad descrita en el Aviso de Elección al Distrito de Servicios de Emergencia Nro. 6 del Condado de Fort Bend

PROPOSICIÓN B La propiedad descrita en el Aviso de Elección asume su parte proporcionada de la deuda pendiente y de los impuestos del Distrito de Servicios de Emergencia Nro. 6 del Condado de Fort Bend, si es añadida al Distrito

Para los votantes registrados del Área de anexión:

PROPOSICIÓN A Añadir la propiedad descrita en el Aviso de Elección al Distrito de Servicios de Emergencia Nro. 6 del Condado de Fort Bend

PROPOSICIÓN B ESTO ES UN AUMENTO DE IMPUESTOS
La propiedad descrita en el Aviso de Elección asume su parte proporcionada de la deuda pendiente y de los impuestos del Distrito de Servicios de Emergencia Nro. 6 del Condado de Fort Bend, si es añadida al Distrito

El Tribunal de Comisionados del Condado de Fort Bend ha designado a los funcionarios para dicha Elección.

La votación anticipada en persona se llevará a cabo durante los horarios y en los lugares que aparecen en el **Anexo "C"** adjunto.

El Oficial de Votación Anticipada recibirá las solicitudes de boletas de votación anticipada por correo hasta el viernes 24 de octubre de 2025 a las 5:00 p.m., lo cual es once días antes de la Elección. El Oficial de Votación Anticipada recibirá las boletas de votación anticipada votadas por correo hasta el martes 4 de noviembre de 2025 a las 7:00 p.m., si la boleta no tiene matasellos, o hasta el miércoles 5 de noviembre a las 5:00 p.m., si la boleta tiene matasellos. Las solicitudes para votar por correo pueden ser obtenidas y enviadas al Oficial de Votación Anticipada a:

Por correo común:

Fort Bend County Elections
301 Jackson Street
Richmond, Texas 77469

Por transportista común o contratado: Fort Bend County Elections
3730 Bamore Road
Rosenberg, Texas 77471

Por correo electrónico: absenteevoter@fortbendcountytexas.gov *

Por facsímil: 281-341-4418*
*la solicitud original de la boleta de votación para votar por correo también debe ser enviada por correo postal al Departamento de Elecciones a más tardar cuatro (4) días laborales después del envío por fax o correo electrónico.

Solamente los votantes habilitados que residen en el Distrito y en el Área de anexión tendrán derecho a votar en dicha Elección.

La Elección se celebrará y realizará, y se dará el dictamen de los resultados a la Junta de Comisionados del Distrito, en conformidad con el Código Electoral de Texas, según lo modificado por el Capítulo 775 del Código de Salud y Seguridad de Texas y sus enmiendas.

/firma/ Breanna John
Presidente de la Junta de Comisionados

ATESTIGUA:

/firma/ Marsha Goates
Secretario de la Junta de Comisionados

EXHIBIT "A"

Election Day Polling Places

ANEXO "A"

Lugares de votación el día de las elecciones

Fort Bend County Election Day Schedule
November 4, 2025 Constitutional Amendment and Special Election
Calendario de elecciones del condado de Fort Bend
4 de noviembre de 2025 Enmienda constitucional y elecciones especiales

<i>Polls Open 7:00 AM - 7:00 PM</i>				
COUNTYWIDE POLLING PLACE	Voting Location	ADDRESS	CITY	ZIP
BAPS Shri Swaminarayan Mandir	Dining Room Hall-Front	1150 Brand LN	STAFFORD	77477
Beasley City Hall	CITY HALL BACK BOARD ROOM	319 S. Third ST	BEASLEY	77417
Bowie Middle School	Main Hallway by Gym	700 Plantation DR	RICHMOND	77406
Brazos Bend Baptist Church	Education Building	22311 FM 762 RD	NEEDVILLE	77461
Calvary Baptist Church	Fellowship Hall	4111 Airport AVE	ROSENBERG	77471
Chasewood Clubhouse	Level 1 Clubhouse Facility	7622 Chasewood DR	MISSOURI CITY	77489
Cinco Ranch Branch Library	Meeting Room	2620 Commercial Center BLVD	KATY	77494
Commonwealth Clubhouse	Clubhouse	4330 Knightsbridge BLVD	SUGAR LAND	77479
Crawford High School	TBD	801 Caldwell Ranch BLVD	ROSHARON	77583
Crockett Middle School	Girls Gym	19001 Beechnut ST	RICHMOND	77407
Dickenson Elementary School		7110 Greatwood PKWY	SUGAR LAND	77479
Election Office	Training Room	3730 Barnore Road	Rosenberg	77471
Elkins High School	Front lobby	7007 Knights CT	MISSOURI CITY	77459
Farmhouse at Harvest Green	Event Hall	3400 Harvest Corner DR	RICHMOND	77406
FBC ESD No. 4 Admin. Bldg.	Training Room	33301 FM 1093	Fulshear	77441
Firethorne Community Association	Main Room	28800 S. Firethorne RD	KATY	77494
First Baptist Church Fresno	TBD	4501 FM 521 RD	FRESNO	77545
Fort Settlement Middle School	TBD	5440 Elkins RD	SUGAR LAND	77479
Foster High School	Front of Auditorium	4400 FM 723 RD	RICHMOND	77406
Four Corners Community Center	Community Center	15700 Old Richmond RD	SUGAR LAND	77498
Frost Elementary	TBD	3306 Skinner Lane	Richmond	77406
Fulshear Branch Library	Meeting Room	6350 GM Library RD	FULSHEAR	77441
Gallery Furniture	Atrium	7227 W Grand PKWYS	RICHMOND	77407
Garcia Middle School	Gym Area Hallway	18550 Old Richmond RD	SUGAR LAND	77498
George Bush High School	Gym Foyer	6707 FM 1484 RD	RICHMOND	77407
George Memorial Library	Large Meeting Room, 1st Floor	1001 Golfview DR	RICHMOND	77469
Great Oaks Baptist Church	Fellowship Building	7101 FM 2759 RD	RICHMOND	77469
Hightower High School	Front Lobby	3333 Hurricane LN	MISSOURI CITY	77459
Hunters Glen Elementary School	Gym	695 Independence BLVD	MISSOURI CITY	77459
Jacks Conference Center	Main Room	3232 Austin PKWY	SUGAR LAND	77479
Jones Creek Ranch Park	Main Room	7714 FM 359 RD	RICHMOND	77406
Jordan High School	PAC Lobby	27500 Fulshear Bend DR	FULSHEAR	77441
Joy Lutheran Church	Parish Hall	717 FM 359 RD	RICHMOND	77406
Kempner High School	503	14777 Voss RD	SUGAR LAND	77498
Kendleton Church of God	ED Building	619 FM 2919 RD	KENDLETON	77417
Kroger Riverstone	Community Room	18861 University BLVD	SUGAR LAND	77479
Lake Olympia Clubhouse	Ballroom	180 Island BLVD	MISSOURI CITY	77459
Lakes of Bella Terra Recreation Center	TBD	11620 W Torino Reale DR	RICHMOND	77406
Lantern Lane Elementary School	cafeteria	3323 Mission Valley DR	MISSOURI CITY	77459
Lexington Creek Elementary School	Gymnasium	2335 Dulles AVE	MISSOURI CITY	77459
Living Word Lutheran Church	Life Center - Courtyard Side	3700 S Mason RD	KATY	77450
Lost Creek Conference Center	Meeting Room	3703 Lost Creek BLVD	SUGAR LAND	77478
M. R. Massey Admin. Bldg.	Event Space	1570 W. Sycamore RD	FRESNO	77545
Maryam Islamic Center	Multi-purpose Area/Room	504 Sartania RD	SUGAR LAND	77479
Meadows Place City Hall	Council Chambers	1 Troyan DR	MEADOWS PLACE	77477
Merrell Center	Meeting Rooms	6301 S Stadium LN	KATY	77494
Mission Bend Branch Library	Main Room	8421 Addicks Clodine RD	HOUSTON	77083
Missouri City Baptist Church	Multipurpose Building	16816 Quail Park DR	MISSOURI CITY	77489
Missouri City Parks and Recreation	Multipurpose Room 1	2701 Cypress Point DR	MISSOURI CITY	77459
Missouri City Visitors Center	Visitor's Center	1522 Texas PKWY	MISSOURI CITY	77489
Museum of Natural Science	Snack Bar	13016 University BLVD	SUGAR LAND	77479

Polls Open 7:00 AM 7:00 PM				
COUNTYWIDE POLLING PLACE	Voting Location	ADDRESS	CITY	ZIP
Oak Lake Baptist Church	Church Sanctuary	15555 W Airport BLVD	SUGAR LAND	77498
Orchard City Hall	Room # 7	9714 Kibler ST	ORCHARD	77464
Our Lady of Guadalupe Fam Life Center	Family Life Center	1800 Avenue D	ROSENBERG	77471
Pecan Grove MUD Admin Bldg.	Main Conference Room	751 Pitts RD	RICHMOND	77406
Pinnacle Senior Center	Multi-purpose Room	5525 Hobby ST	HOUSTON	77053
Quail Valley Elementary School	Gym	3500 Quail Village DR	MISSOURI CITY	77459
Quail Valley Fund Office	Board Room	3603 Glenn Lakes LN	MISSOURI CITY	77459
Randle High School	Front of Auditorium	7600 Koebien RD	RICHMOND	77469
Reese Technical Center	T107	12300 University BLVD	SUGAR LAND	77479
Richmond Water Mnt. Facility	1st room to the right	110 N 8th ST	RICHMOND	77469
Ridge Point High School	Gym Foyer	500 Waters Lake BLVD	MISSOURI CITY	77459
Ridgegate Community Association	Main Room	5855 W Ridgecreek DR	HOUSTON	77489
Ridgemont Early Childhood Center	Extended Day Room	5353 Ridge Creek CIR	HOUSTON	77053
River Park Recreation Center	Rec Center	5875 Summit Creek DR	SUGAR LAND	77479
Road and Bridge (Needville)	Meeting Room	3743 School ST	NEEDVILLE	77461
Rosenberg Annex Building	Meeting Room A or B	4520 Reading RD	ROSENBERG	77471
Santaria Middle School	ROOM 242	8125 Homeward WAY	SUGAR LAND	77479
Seven Lakes High School	PAC Lobby	9251 S Fry RD	KATY	77494
Sienna Annex	Community Room	5855 Sienna Springs WAY	MISSOURI CITY	77459
Stafford City Hall	Large Conference Room	2610 S Main ST	STAFFORD	77477
Sugar Creek Country Club	Ballroom	420 Sugar Creek BLVD	SUGAR LAND	77478
Sugar Lakes Clubhouse	Clubhouse	930 Sugar Lakes DR	SUGAR LAND	77478
Sugar Land Branch Library	Meeting Room	550 Eldridge RD	SUGAR LAND	77478
Sugar Land Church of God	Fellowship Hall	1715 Eldridge RD	SUGAR LAND	77478
Sugar Land City Hall	Main Room	2700 Town Center BLVD N	SUGAR LAND	77479
T. E. Harman Center	Meeting Room	226 Matlage WAY	SUGAR LAND	77478
Thompsons City Hall	Community Center	520 Thompson Oil Field RD	THOMPSONS	77481
Thomas High School	TBD	24945 Easton Ramsey Way	Richmond, TX	77406
Tompkins High School	PAC Lobby	4400 Falcon Landing BLVD	KATY	77494
Townwest Towne Hall	Main Room	10322 Old Towne LN	SUGAR LAND	77498
University Branch Library	Meeting Room 2	14010 University BLVD	SUGAR LAND	77479
Vadtai Dham Shree Swaminarayana Temple	TBD	10825 Clodine RD	RICHMOND	77407

Total Sites = 83

EXHIBIT "B"
Annexation Area

ANEXO "B"
Área de Anexión

DISCOVERY TRACT FB449a


**FBC ESD #6 PROPOSED
+/- 1500 AC. ANNEXATION**

APPROX. 1,501 AC.

VICINITY EXHIBIT

JUNE 2025


LEGEND



DATA SOURCE: FORT BEND ESD6 - FORT BEND COUNTY

*DISTRICT BOUNDARIES FROM OFFICIAL DATA
RELEASE ARE OFTEN SHIFTED FROM ACTUAL
BOUNDARY.

4,000 2,000 0
FEET



AERIAL PHOTOGRAPH DATE: NEARMAP JAN 2025 AND JULY 2025

THIS PRODUCT IS FOR INFORMATIONAL PURPOSES AND MAY
NOT HAVE BEEN PREPARED FOR OR BE SUITABLE FOR LEGAL,
ENGINEERING, OR SURVEYING PURPOSES. IT DOES NOT
REPRESENT AN ON-THE-GROUND SURVEY AND REPRESENTS
ONLY THE APPROXIMATE RELATIVE LOCATION OF PROPERTY
BOUNDARIES.



3600 W Sam Houston Parkway E Suite 600
Houston, Texas 77062
Phone 713.953.5200
LJA.com




EXHIBIT "C"
Early Voting Polling Places

ANEXO "C"
Lugares de votación anticipada

Fort Bend County Early Voting Schedule
November 4, 2025 Constitutional Amendment and Special Election
Calendario de votación anticipada del condado de Fort Bend
4 de noviembre de 2025 Emmienda constitucional y elección especial

Early Voting Locations	Monday-Friday October 20 – 24, 2025 (lunes-viernes) 20 - 24 de octubre 2025	Saturday October 25, 2025 (sábado) 25 de octubre 2025	Sunday October 26, 2025 (domingo) 26 de octubre 2025	Monday-Friday October 27- 31, 2025 (lunes- viernes) (27-31 de octubre 2025)
Cinco Ranch Branch Library 2420 Commercial Center Blvd, Katy	<i>All sites are</i>	<i>All sites are</i>	<i>All sites are</i>	<i>All sites are</i>
Commonwealth Clubhouse 4330 Knightsbridge Blvd, Sugar Land	<i>Open 7:00 A.M.</i>	<i>Open 7:00 A.M.</i>	<i>Open 12:00 Noon</i>	<i>Open 7:00 A.M.</i>
Elections Office (MAIN EARLY VOTING SITE) 3750 Bamon Rd, Rosenberg	<i>To</i>	<i>To</i>	<i>To</i>	<i>To</i>
Firestone Clubhouse 28128 N Firestone Road, Katy	<i>7:00 P.M.</i>	<i>7:00 P.M.</i>	<i>6:00 P.M.</i>	<i>7:00 P.M.</i>
FBC ISD Field Admin. Bldg. 33301 FM 1093 Rd, Fulshear	<i>(Todos los sitios</i>	<i>(Todos los sitios</i>	<i>(Todos los sitios</i>	<i>(Todos los sitios</i>
Four Corners Community Center 13700 Old Richmond Rd, Sugar Land	<i>están abiertos</i>	<i>están abiertos</i>	<i>están abiertos</i>	<i>están abiertos</i>
Jacks Conference Center 3232 Austin Hwy, Sugar Land	<i>7:00 A.M.</i>	<i>7:00 A.M.</i>	<i>12:00 Mediodía</i>	<i>7:00 A.M.</i>
Jones Creek Ranch Park 7714 FM 339 Rd, Richmond	<i>Para</i>	<i>Para</i>	<i>Para</i>	<i>Para</i>
Kroger Eventone 18841 University Blvd, Sugar Land	<i>7:00 P.M.)</i>	<i>7:00 P.M.)</i>	<i>6:00 P.M.)</i>	<i>7:00 P.M.)</i>
Meadows Place City Hall 1 Inyan Dr, Meadows Place	<i>(Todos los sitios</i>	<i>(Todos los sitios</i>	<i>(Todos los sitios</i>	<i>(Todos los sitios</i>
Missouri City Visitor Center 1322 Texas Hwy, Missouri City	<i>están abiertos</i>	<i>están abiertos</i>	<i>están abiertos</i>	<i>están abiertos</i>
Road and Bridge (Needville) 3743 School St, Needville	<i>7:00 A.M.</i>	<i>7:00 A.M.</i>	<i>12:00 Mediodía</i>	<i>7:00 A.M.</i>
Rosenberg Annex 4320 Easting Rd, Rosenberg	<i>Para</i>	<i>Para</i>	<i>Para</i>	<i>Para</i>
Sienna Annex 3833 Sienna Springs Way, Missouri City	<i>7:00 P.M.)</i>	<i>7:00 P.M.)</i>	<i>6:00 P.M.)</i>	<i>7:00 P.M.)</i>
Beasley City Hall 319 3rd Street Beasley	All sites are	All sites are	All sites are Closed	All sites are
Bowie Middle 700 Hamilton Dr, Richmond	Open 7:00 A.M.	Open 7:00 A.M.		Open 7:00 A.M.
Chesewood Clubhouse 7422 Chesewood Dr, Missouri City	To	To		To
Crawford High School 801 Calhoun Ranch Blvd, Rockham	7:00 P.M.	7:00 P.M.		7:00 P.M.
Fulshear Branch Library 4350 GEM Library Road, Fulshear	<i>(Todos los sitios</i>	<i>(Todos los sitios</i>		<i>(Todos los sitios</i>
George Memorial Library 1001 Golfview Dr, Richmond	<i>están abiertos</i>	<i>están abiertos</i>		<i>están abiertos</i>
Great Oaks Baptist Church 7101 FM 2759 Rd, Richmond	<i>7:00 A.M.</i>	<i>7:00 A.M.</i>		<i>7:00 A.M.</i>
Hightower HS 3333 Humana Ln, Missouri City	<i>Para</i>	<i>Para</i>		<i>Para</i>
Lost Creek Conference Center 3703 Lost Creek Blvd, Sugar Land	<i>7:00 P.M.)</i>	<i>7:00 P.M.)</i>		<i>7:00 P.M.)</i>
Quail Valley Fund Office 3403 Glenn Lake Ln, Missouri City	<i>(Todos los sitios</i>	<i>(Todos los sitios</i>		<i>(Todos los sitios</i>
Reese Tech Ctr 12300 University Dr, Sugar Land	<i>están cerrados</i>	<i>están cerrados</i>		<i>están cerrados</i>
Richmond Water Mnt. Facility 110 N 8th Street Richmond	<i>7:00 A.M.</i>	<i>7:00 A.M.</i>		<i>7:00 A.M.</i>
Sugar Land Branch Library 550 Eldridge Rd, Sugar Land	<i>Para</i>	<i>Para</i>		<i>Para</i>
Tompkins High School 4400 Falcon Landing Blvd, Katy	<i>7:00 P.M.)</i>	<i>7:00 P.M.)</i>		<i>7:00 P.M.)</i>

Total Early Voting Sites = 28